

INDEX: VL-SPF09R-W

TECHNICAL CARD



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



IK07



IP20



Free

WARRANTY 2 YEARS

General parameters

Light source replaceable end user

Electrical parameters

Rated voltage, frequency AC 220-240 V, 50/60 Hz

Input interface Free wire ends

Additional information

Place of installation Ceiling, Recessed

Place of application indoor

Housing colour White

Impact protection IK07

Ingress protection IP20

Operating temperature range -25° +50°C

Mercury content Does not contain

Housing material Aluminum

Dimensions

EAN 4820246482967

Outer box 50 pcs.

Recessed spotlight luminaire VL-SPF09R-W


INDEX: VL-SPF09R-W

Height 46 mm

Width 85 mm

Depth 85 mm



INDEX: VL-SPF09R-W

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.