

**INDEX: VL-SPF10R-W** 

# **TECHNICAL CARD**





## Recessed spotlight luminaire VL-SPF10R-W

### **INDEX: VL-SPF10R-W**







### **WARRANTY 2 YEARS**

| Depth     | 85 mm   |
|-----------|---------|
| Width     | 85 mm   |
| Outer box | 50 pcs. |

### **General parameters**

| Light source replaceable | end user |
|--------------------------|----------|
|                          |          |

### **Electrical parameters**

| Rated voltage, frequency | AC 220-240<br>V, 50/60 Hz |
|--------------------------|---------------------------|
| Input interface          | Free wire ends            |

#### **Additional information**

| Place of installation       | Ceiling,<br>Recessed |
|-----------------------------|----------------------|
| Place of application        | indoor               |
| Housing colour              | White                |
| Impact protection           | IK07                 |
| Operating temperature range | -25° +50°C           |
| Mercury content             | Does not contain     |
| Ingress protection          | IP54                 |
| Housing material            | Aluminum             |

#### **Dimensions**

| EAN    | 4820246482851 |
|--------|---------------|
| Height | 50 mm         |
















We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024