

INDEX: VLF-ARM-01

TECHNICAL CARD



Remote tactical button



VIDEX®



-20° +40°C



Free



IP68

WARRANTY 1 YEAR

General parameters

Compatible VLF-AT255RG,
VLF-AT265

Additional information

Housing colour Black

Operating temperature range -20° +40°C

Mercury content Does not contain

Ingress protection IP68

Housing material Aviation anodized aluminum

Dimensions

EAN 4820246484077

In the package 1 pc.

Outer box 40 pcs.

Height 78 mm

Width 22 mm

Depth 13 mm

Unit nett weight 38g

Signs marking goods

VIDEX VLF-ARM-01 for the flashlight

INDEX: VLF-ARM-01

Packaging marking

Recycling of waste,
Utilization



VIDEX[®]

VIDEX VLF-ARM-01 for the flashlight

INDEX: VLF-ARM-01

VIDEX®

VIDEX VLF-ARM-01 for the flashlight

INDEX: VLF-ARM-01



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



Waste recycling after the end of the product's service life



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



-20° +40°C

— Operating temperatures range



Free

— The product does not contain mercury



IP68

— Class of protection against dust and moisture. The product has full protection against dust and prolonged immersion in water at a depth of more than 1 meter