



INDEX: VLF-AT255RG

TECHNICAL CARD



Tactical LED Flashlight





INDEX: VLF-AT255RG







	8	Ŋ	
Not D	imr	nal	ole

WARRANTY 3 YEARS

Ingress protection	IP68
Housing material	Heavy-anodized aircraft aluminum

General parameters

Light source replaceable	no	

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	20 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the light source (Φ use)	2000 Lm
Correlated color temperature	5000K (neutral white), Red, Green
Peak luminous intensity	77600 cd

Additional information

Housing colour	Black
Operating temperature range	-20° +40°C
Mercury content	Does not contain

Dimensions

EAN	4820246483704
Height	150 mm
Width	40 mm
Depth	31 mm
Outer box	20 pcs.
Unit nett weight	159g
In the package	1 pc.

Signs marking goods

Packaging marking CE, Utilization

















































INDEX: VLF-AT255RG





We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024