

# VIDEX®

VIDEX-3W-LUKA-SILVER 60CM

INDEX: VL-AR05-03062S

## TECHNICAL CARD



Garden luminaire



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



360°



Ra ≥ 80



50 000 h

ON/OFF  
20 000

IK07



Free



-25° +50°C



Not Dimmable



Free



IP54

## WARRANTY 2 YEARS

### WARM WHITE



### 2700K

Warm White / Ciepła biel / Tepla bila / Blanc chaud /  
Tepla biela / Warm wit / Meleg feher / Topla bela / Topla  
bijela / Warmweiß / Alb cald / Šiltai balta / Silti balta / Soe  
valge / Тепло бяла / Bianco caldo.

## General parameters

Control gear replaceable	no
--------------------------	----

Light source replaceable	no
--------------------------	----

## Type of light source

Energy class of the light source	F
----------------------------------	---

Dimmable	no
----------	----

Technology	LED
------------	-----

## Electrical parameters

On-mode power (Pon)	3 W
---------------------	-----

Rated voltage, frequency	AC 220-240 V, 50/60 Hz
--------------------------	---------------------------

Rated current	26 mA
---------------	-------

Input interface	Terminal block
-----------------	-------------------

## VIDEX-3W-LUKA-SILVER 60CM

### INDEX: VL-AR05-03062S

## Photometric parameters

Useful luminous flux of the light source (Φuse)	300 Lm
---	--------

Correlated color temperature	2700K (warm white)
------------------------------	-----------------------

Beam angle	360°
------------	------

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

Lifetime	50000 h
----------	---------

On/Off cycles	20000
---------------	-------

## Additional information

Place of installation	Floor
-----------------------	-------

Place of application	outdoor
----------------------	---------

Impact protection	IK07
-------------------	------

Housing colour	Silver
----------------	--------

Ultraviolet radiation	no
-----------------------	----

Operating temperature range	-25° +50°C
-----------------------------	------------

Mercury content	Does not contain
-----------------	---------------------

Ingress protection	IP54
--------------------	------

Housing material	Stainless Steel
------------------	--------------------

## Dimensions

EAN	4820246480802
-----	---------------

Height	600 mm
--------	--------

Width	76 mm
-------	-------


Depth	76 mm
-------	-------

Outer box	12 pcs.
-----------	---------

# VIDEX®

## VIDEX-3W-LUKA-SILVER 60CM

### INDEX: VL-AR05-03062S



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.

Date: 15.01.2025