

# VIDEX®

VIDEX-6W-EVAN-WHITE

INDEX: VL-AR06-062W

## TECHNICAL CARD




Facade double-sided luminaire



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

# VIDEX®



## WARRANTY 2 YEARS

### WARM WHITE



### 2700K

Warm White / Ciepła biel / Tepla bila / Blanc chaud / Tepla biela / Warm wit / Meleg feher / Topla bela / Topla bijela / Warmweiß / Alb cald / Siltai balta / Silti balta / Soe valge / Тепло бяла / Bianco caldo.

### General parameters

|                          |    |
|--------------------------|----|
| Control gear replaceable | no |
| Light source replaceable | no |

### Type of light source

|                                  |     |
|----------------------------------|-----|
| Energy class of the light source | E   |
| Dimmable                         | no  |
| Technology                       | LED |

### Electrical parameters

|                                  |                        |
|----------------------------------|------------------------|
| On-mode power (P <sub>on</sub> ) | 6 W                    |
| Rated voltage, frequency         | AC 220-240 V, 50/60 Hz |
| Rated current                    | 42 mA                  |

## VIDEX-6W-EVAN-WHITE

### INDEX: VL-AR06-062W

|                                                               |                |
|---------------------------------------------------------------|----------------|
| Input interface                                               | Terminal block |
| Electric shock protection class                               | I              |
| Energy consumption in on-mode of the light source (kWh/1000h) | 6              |

### Photometric parameters

|                                                              |                    |
|--------------------------------------------------------------|--------------------|
| Useful luminous flux of the light source (Φ <sub>use</sub> ) | 660 Lm             |
| Correlated color temperature                                 | 2700K (warm white) |
| Beam angle                                                   | 180°               |
| Color rendering index (CRI)                                  | Ra > 80            |
| Lifetime                                                     | 50000 h            |
| On/Off cycles                                                | 20000              |
| Useful luminous flux of the light source reference           | in a sphere (360°) |
| Colour consistency in MacAdam ellipses (SDCM)                | <6 (2700K)         |
| CRI Min                                                      | Ra 80              |
| CRI Max                                                      | Ra 88              |

### Additional information

|                             |                 |
|-----------------------------|-----------------|
| Place of installation       | Wall            |
| Place of application        | indoor, outdoor |
| Housing colour              | White           |
| Impact protection           | IK07            |
| Ultraviolet radiation       | no              |
| Operating temperature range | -25° +50°C      |

# VIDEX®

## VIDEX-6W-EVAN-WHITE

### INDEX: VL-AR06-062W

|                                                                 |                  |
|-----------------------------------------------------------------|------------------|
| <b>Suitable for installation in normally flammable surfaces</b> | yes              |
| <b>Mercury content</b>                                          | Does not contain |
| <b>Ingress protection</b>                                       | IP54             |
| <b>Housing material</b>                                         | Aluminum         |

#### Dimensions

|                         |               |
|-------------------------|---------------|
| <b>EAN</b>              | 4820246480925 |
| <b>Height</b>           | 106 mm        |
| <b>Width</b>            | 115 mm        |
| <b>Depth</b>            | 30 mm         |
| <b>In the package</b>   | 1 pc.         |
| <b>Outer box</b>        | 20 pcs.       |
| <b>Unit nett weight</b> | 300g          |



#### Signs marking goods

|                          |                 |
|--------------------------|-----------------|
| <b>Packaging marking</b> | CE, Utilization |
|--------------------------|-----------------|



**VIDEX**<sup>®</sup>

VIDEX-6W-EVAN-WHITE

**INDEX: VL-AR06-062W**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,  
30-732 Krakow, Poland.