

VIDEX®

VIDEX-6W-PELLE-BLACK

INDEX: VL-AR032-062B

TECHNICAL CARD




Facade double-sided luminaire



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



WARRANTY 3 YEARS

WARM WHITE



2700K

Warm White / Ciepła biel / Tepla bila / Blanc chaud / Tepla biela / Warm wit / Meleg feher / Topla bela / Topla bijela / Warmweiß / Alb cald / Siltai balta / Silti balta / Soe valge / Тепло бяла / Bianco caldo.

General parameters

Control gear replaceable	no
Light source replaceable	no

Type of light source

Energy class of the light source	F
Dimmable	no
Technology	LED

Electrical parameters

On-mode power (P _{on})	6 W
Rated voltage, frequency	AC 220-240 V, 50/60 Hz
Rated current	55 mA

VIDEX-6W-PELLE-BLACK

INDEX: VL-AR032-062B

Input interface	Terminal block
Electric shock protection class	I
Energy consumption in on-mode of the light source (kWh/1000h)	6

Photometric parameters

Useful luminous flux of the contained light source (Φ _{use})	600 Lm
Correlated color temperature	2700K (warm white)
Beam angle	120°
Color rendering index (CRI)	Ra > 80
Lifetime	50000 h
On/Off cycles	25000
Useful luminous flux of the light source reference	in a sphere (360°)
Colour consistency in MacAdam ellipses (SDCM)	<6 (2700K)
CRI Min	Ra 80
CRI Max	Ra 88

Additional information

Place of installation	Wall
Place of application	outdoor
Impact protection	IK07
Housing colour	Black
Ultraviolet radiation	no
Operating temperature range	-25° +50°C
Suitable for installation in normally flammable surfaces	yes

VIDEX®

VIDEX-6W-PELLE-BLACK

INDEX: VL-AR032-062B

Mercury content	Does not contain
Ingress protection	IP54
Housing material	Aluminum


Dimensions

EAN	4820246480895
Height	150 mm
Width	68 mm
Depth	92 mm
In the package	1 pc.
Outer box	20 pcs.
Unit nett weight	480g

Signs marking goods

Packaging marking	CE, Utilization
--------------------------	-----------------



VIDEX[®]**VIDEX-6W-PELLE-BLACK****INDEX: VL-AR032-062B**

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.