

VIDEX-GU10-TATUM-WHITE

INDEX: VL-SPF05D-W

TECHNICAL CARD





Pendant spotlight luminaire











WARRANTY 2 YEARS

The body of the lamp is made of aluminum - a light and durable metal that is not subject to corrosion. The surface of the case is covered with matte paint with a sandy texture, resistant to small scratches.

General parameters

| Light source replaceable | end user |
|--------------------------|----------|
| | |

Electrical parameters

| Rated voltage, frequency | AC 220-240 V, 50/60 Hz |
|---------------------------------|---------------------------|
| Input interface | Terminal block |
| Electric shock protection class | 1 |

Additional information

| Place of installation | Ceiling |
|-----------------------------|------------------|
| Place of application | indoor |
| Housing colour | White |
| Impact protection | IK07 |
| Operating temperature range | -20° +40°C |
| Mercury content | Does not contain |
| Ingress protection | IP20 |
| Housing material | Aluminum |

VIDEX-GU10-TATUM-WHITE

INDEX: VL-SPF05D-W

Dimensions

| EAN | 4820246482158 |
|-----------|---------------|
| Height | 200 mm |
| Width | 55 mm |
| Depth | 55 mm |
| Outer box | 20 pcs. |





VIDEX-GU10-TATUM-WHITE

INDEX: VL-SPF05D-W







We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro Opt Sp. z o.o., Handlowa 23, 05-120 Legionowo, Poland.

Date: 8.09.2024