

TECHNICAL CARD



LED Headlamp

VIDEX®



WARRANTY 3 YEARS

COLD WHITE



Cold White / Zimna biel / Studena bila / Blanc froid / Studená biela / Koud wit / Hideg feher / Hladno bela / Hladno bijela / Kaltweiß / Alb rece / Šalta balta / Auksti balta / Kūlm valge.

General parameters

Operation mode	HIGH, LOW, STROBE, RED ON, RED FLASH
Light source replaceable	no
Battery Warranty	1 year

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	20 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained light source (Φ _{use})	1400 Lm
--	---------

VIDEX VLF-H056 1400Lm 6500K

INDEX: VLF-H056

Correlated color temperature	6500K (cold white)
Peak luminous intensity	6480 cd

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery type	Li-ion 18650 (2pcs)
Battery capacity	2200 mAh (2pcs)
Battery indicator	5 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP65
Housing material	PC

Dimensions

EAN	4820246481632
In the package	1 pc.
Outer box	20 pcs.
Height	48 mm
Width	65 mm
Depth	32 mm
Unit nett weight	171g

INDEX: VLF-H056

Signs marking goods

Packaging marking

CE, Utilization



VIDEX®

VIDEX VLF-H056 1400Lm 6500K

INDEX: VLF-H056



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



The protection is effective in case of a fall from a height of up to 1 meter



The product is incompatible with light regulators



Operating temperatures range



The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions

Date: 24.06.2026