

TECHNICAL CARD



LED Headlamp

VIDEX®



WARRANTY 3 YEARS

General parameters

Operation mode	RED HIGH, RED MIDDLE, RED LOW, RED FLASH, GREEN HIGH, GREEN MIDDLE, GREEN LOW, GREEN FLASH, FLOOD HIGH, FLOOD MIDDLE, FLOOD LOW, SPOT HIGH, SPOT MIDDLE, SPOT LOW, SPOT TURBO, FLOOD TURBO
Light source replaceable	no
Battery Warranty	1 year

Type of light source

Dimmable	yes
Technology	LED

Electrical parameters

Input interface	USB-C
------------------------	-------

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use})	1700 Lm
---	---------

VIDEX VLF-H057 1700Lm 5000K

INDEX: VLF-H057

Peak luminous intensity	20566 cd
Correlated color temperature	5000K (neutral white), Red, Green

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery type	Li-ion 18650 (2pcs)
Battery capacity	2200 mAh (2pcs)
Battery indicator	5 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP65
Housing material	Polyamide

Dimensions

EAN	4823135400189
In the package	1 pc.
Height	48 mm
Outer box	20 pcs.
Width	65 mm
Depth	36.5 mm
Unit nett weight	198g

VIDEX®

VIDEX VLF-H057 1700Lm 5000K

INDEX: VLF-H057

Signs marking goods

Packaging marking

CE, Utilization



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— The protection is effective in case of a fall from a height of up to 1 meter



— The product supports brightness adjustment



— Operating temperatures range



— The product does not contain mercury



— Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions