

TECHNICAL CARD



LED Headlamp

VIDEX[®]



WARRANTY 2 YEARS

NEUTRAL WHITE



Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutralus balta / Neitrāls balta / Neutraalne valge / Неутрално бяла / Bianco neutro.

General parameters

Operation mode	TURBO, HIGH, MIDDLE, LOW, COB HIGH, COB LOW, RED HIGH, RED LOW, RED FLASH
Light source replaceable	no

Type of light source

Dimmable	no
Technology	LED

Electrical parameters

On-mode power (Pon)	5 W
Input interface	USB-C

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use})	700 Lm
---	--------

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147

Correlated color temperature	5000K (neutral white)
Peak luminous intensity	11600 cd

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery capacity	1800 mAh
Battery type	Li-pol
Battery indicator	5 level
Battery replaceable	no
Mercury content	Does not contain
Ingress protection	IP55
Housing material	Polyamide

Dimensions

EAN	4820246486804
In the package	1 pc.
Outer box	20 pcs.
Height	80 mm
Width	49 mm
Depth	45 mm
Unit nett weight	135g

Signs marking goods

VIDEX®

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147


Packaging marking

CE, Utilization



VIDEX[®]

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147

VIDEX®

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147



VIDEX[®]

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147

VIDEX®

VIDEX VLF-H147 700Lm 5000K

INDEX: VLF-H147



We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



— The protection is effective in case of a fall from a height of up to 1 meter



— The product is incompatible with light regulators



— Operating temperatures range



— The product does not contain mercury