

TECHNICAL CARD



Power supply for magnetic slim track light system



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX[®]

VIDEX VL-TRMS-P100B 100W

INDEX: VL-TRMS-P100B



ON/OFF
20 000



30 000 h



Free



Not Dimmable



-20° +45°C



Free



IP20

WARRANTY 3 YEARS

Type of light source

Dimmable no

Electrical parameters

On-mode power (Pon) 100 W

Output voltage DC 48 V

Rated voltage, frequency AC 220-240 V, 50/60 Hz

Rated current 1 A

Input interface Free wire ends

Electric shock protection class II

Photometric parameters

On/Off cycles 20000

Lifetime (L70B50) 30000 h

Additional information

Place of installation Busbar for magnetic slim track

Place of application indoor

Housing colour	Black
Ultraviolet radiation	no
Operating temperature range	-20° +45°C
Suitable for installation in normally flammable surfaces	yes
Mercury content	Does not contain
Ingress protection	IP20
Housing material	PC

Dimensions


EAN	4820246485807
In the package	1 pc.
Height	285 mm
Outer box	25 pcs.
Width	24 mm
Depth	29 mm
Unit nett weight	220g

Signs marking goods

Packaging marking Recycling of waste, CE, Utilization

VIDEX[®]

VIDEX VL-TRMS-P100B 100W

INDEX: VL-TRMS-P100B

VIDEX[®]














VIDEX VL-TRMS-P100B 100W

INDEX: VL-TRMS-P100B

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.

INDEX: VL-TRMS-P100B

-  The product must be used indoors
-  Class of protection against electric shock II - provided not only by basic insulation but also by double or reinforced insulation
-  The product can be installed and used in/on normally flammable surfaces
-  Waste recycling after the end of the product's service life
-  The product meets the requirements of EU directives
-  It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste
-  — Rated On/off cycles
-  — Nominal lifetime (hours)
-  — The product does not emit ultraviolet light
-  — The product is incompatible with light regulators
-  — Operating temperatures range
-  — The product does not contain mercury
-  — Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture