

VIDEX®

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

TECHNICAL CARD



LED Headlamp



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



WARRANTY 2 YEARS

NEUTRAL WHITE



5000K

Neutral White / Neutralny biały / Neutralni bila / Blanc neuter / Neutrálna biela / Neutraal wit / Semleges feher / Nevtralno bela / Neutralno bijela / Neutralweiß / Alb neutru / Neutrus balta / Neitrāls balta / Neutraalne valge / Нейтрално бяла / Bianco neutro.

General parameters

Light source replaceable no

Type of light source

Dimmable no

Technology LED

Electrical parameters

On-mode power (Pon) 5 W

Input interface Micro USB

Photometric parameters

Useful luminous flux of the contained light source (Φ_{use}) 270 Lm

Correlated color temperature 5000K (neutral white)

Peak luminous intensity 700 cd

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

Additional information

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Mercury content	Does not contain
Ingress protection	IP65
Housing material	PC

Dimensions

EAN	4820246481052
Height	46 mm
Width	70 mm
Depth	38 mm
In the package	1 pc.
Outer box	20 pcs.
Unit nett weight	122g

Signs marking goods

Packaging marking CE, Utilization

VIDEX®

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

VIDEX[®]

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

VIDEX[®]

VIDEX VLF-H045Z 270Lm 5000K

INDEX: VLF-H045Z

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.