

**INDEX: VLF-H056** 

# **TECHNICAL CARD**



LED Headlamp





### VIDEX VLF-H056 1400Lm 6500K

#### **INDEX: VLF-H056**











IP65

Correlated color temperature	white)
Peak luminous intensity	6480 cd

#### **WARRANTY 3 YEARS**



Cold White / Zimna biel / Studena bila / Blanc froid / Studená biela / Koud wit / Hideg feher / Hladno bela / Hladno bijela / KaltweiB / Alb rece / Šalta balta / Auksti balta / Kűlm valge.

#### **General parameters**

Operation mode	HIGH, LOW, STROBE, RED ON, RED FLASH
Light source replaceable	no
Battery Warranty	1 year

### Type of light source

Dimmable	no
Technology	LED

#### **Electrical parameters**

On-mode power (Pon)	20 W
Input interface	USB-C

#### **Photometric parameters**

#### **Additional information**

Housing colour	Black
Fall protection	1 m
Operating temperature range	-20° +40°C
Battery voltage	3.7 V
Battery capacity	2200 mAh (2pcs)
Battery type	Li-ion 18650 (2pcs)
Battery indicator	5 level
Battery replaceable	yes
Mercury content	Does not contain
Ingress protection	IP65
Housing material	PC

#### **Dimensions**

EAN	4820246481632
In the package	1 pc.
Outer box	20 pcs.
Height	48 mm
Width	65 mm
Depth	32 mm
Unit nett weight	 171g



# VIDEX VLF-H056 1400Lm 6500K

**INDEX: VLF-H056** 

# Signs marking goods

Packaging marking

CE, Utilization











## VIDEX VLF-H056 1400Lm 6500K

#### **INDEX: VLF-H056**









We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11, 30-732 Krakow, Poland.



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste  $\,$ 



The protection is effective in case of a fall from a height of up to 1 meter



The product is incompatible with light regulators



Operating temperatures range



- The product does not contain mercury



Class of protection against dust and moisture. The product has full protection against dust and water jets from all directions

Date: 25.11.2025