

TECHNICAL CARD



LED RECHARGEABLE READING LAMP



Pursuant to the provisions of the WEEE Act, it is forbidden to put waste equipment marked with the symbol of a crossed out bin together with other waste. The user, wishing to get rid of electronic and electrical equipment, is obliged to return it to a waste equipment collection point. There are no hazardous components in the equipment that have a particularly negative impact on the environment and human health.

VIDEX®



Ra ≥ 80



Free



Dimmable



-20° +40°C



Free



IP20

WARRANTY 2 YEARS

General parameters

Light source replaceable	no
--------------------------	----

Type of light source

Dimmable	yes
----------	-----

Technology	LED
------------	-----

Electrical parameters

On-mode power (Pon)	0.7 W
---------------------	-------

Input interface	USB-C
-----------------	-------

Electric shock protection class	III
---------------------------------	-----

Photometric parameters

Luminous flux	60 Lm
---------------	-------

Correlated color temperature	6500K (cold white), 4000K (neutral white), 3000K (warm white)
------------------------------	---

Color rendering index (CRI)	Ra > 80
-----------------------------	---------

CRI Min	Ra 80
---------	-------

VIDEX VL-NL134B Black

INDEX: VL-NL134B

CRI Max	Ra 88
---------	-------

Additional information

Place of application	indoor
----------------------	--------

Housing colour	Black
----------------	-------

Ultraviolet radiation	no
-----------------------	----

Motion sensor	no
---------------	----

Operating temperature range	-20° +40°C
-----------------------------	------------

Battery voltage	3.7 V
-----------------	-------

Battery type	Li-pol
--------------	--------

Battery capacity	1000 mAh
------------------	----------

Battery replaceable	no
---------------------	----

Mercury content	Does not contain
-----------------	------------------

Ingress protection	IP20
--------------------	------

Housing material	ABS
------------------	-----

Dimensions

EAN	4823135400493
-----	---------------

In the package	1 pc.
----------------	-------

Height	290 mm
--------	--------

Outer box	96 pcs.
-----------	---------

Width	85 mm
-------	-------

Depth	30 mm
-------	-------

Unit nett weight	76g
------------------	-----

Signs marking goods

Packaging marking	CE, Utilization
-------------------	-----------------

VIDEX®

VIDEX VL-NL134B Black

INDEX: VL-NL134B

We reserve the right to make technical changes. The data contained in this material is not legally binding.

Allegro opt Sp. z o.o., ul. Mierzeja Wiślana 11,
30-732 Krakow, Poland.



The product must be used indoors



Class III protection against electric shock - ensured by supplying a specific product with a safe very low voltage (SELV) without the risk of creating a voltage above safe levels



The product meets the requirements of EU directives



It is forbidden to throw away waste equipment marked with the symbol of a crossed-out bin with other waste



Ra > 80

— Ra > 80 - color rendering index



Free

— The product does not emit ultraviolet light



Dimmable

— The product supports brightness adjustment



-20° +40°C

— Operating temperatures range



Free

— The product does not contain mercury



IP20

— Class of protection against dust and moisture. Protection against solid objects larger than 12 mm; no protection against moisture